

Creek County Clerk
 County Purchasing Office
 Collins Building Annex
 317 E. Lee Room 100
 Sapulpa, Ok. 74066
 918-227-4909



Creek County Clerk
 Jennifer Mortazavi
jmortazavi@creekcountyonline.com

Purchasing Agent
 Jana Thomas
jthomas@creekcountyonline.com

www.creekcountyclerk.org

INVITATION TO BID

BID NUMBER	BID CLOSING DATE & HOUR	DESCRIPTION	DATE ISSUED
21-11	6/7/21 8:59 A.M.	6 Month Bridge & Highway Material & Professional Services	5/17/21 Page 1 of 8

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, 317 E Lee Suite 103 Sapulpa, OK during the meeting of the Board of County Commissioners.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope. **Bids must be marked "6 Month Bridge & Highway Materials" Bid #21-11 & received in the County Clerk's office at 317 E. Lee Room 100 Sapulpa, OK. 74066 by 8:59 a.m. June 7, 2021.**
3. The bid will be awarded to the lowest/best bidder(s) as determined by the county. Proposal must be submitted on the attached request form.
4. Unit prices will be guaranteed correct by the bidder. County reserves the right to accept or reject any or all bids and to waive informalities or minor irregularities in any bid. Successful bidders must verify workers' compensation coverage & general liability of company & outsource. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion & business relationship affidavit as well as an affidavit for contracts & payments that total \$25,000 and above.
5. The County procurement process is an open process that allows all business owners to participate regardless of race, color, natural origin or sex and we encourage minority and women-owned businesses to bid on any of the county projects.
6. Firm fixed prices will be F.O.B. destination.
7. Purchases by Creek County, Oklahoma, are not subject to state or federal taxes.
8. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
9. The County reserves the right to terminate the contract with a 30 day written notice of termination for convenience.
10. The County reserves the right to terminate the contract without notice due to non-performance to any & all portions of the bid award.
11. Bids will be firm for 30 days.

Vendor: _____

Signed by: _____ Title: _____

Address: _____

City: _____ State: _____ Zip: _____

Email address _____ Phone: _____

Business Relationships Affidavit
6 Month Bridge & Highway Materials/Services

State of Oklahoma)
)SS
County of _____)

_____, of lawful age, being duly sworn, on oath says that he or she is the agent authorized by the bidder to submit the attached bid. Affiant further states that the nature of any partnership, or other business relationship presently in effect, of which existed within one (1) year prior to the date of this statement with the architect, engineer, or other party to the project is as follows:

Affiant further states that any such business relationship presently in effect of which existed within one (1) year prior to the date of this statement between any officer or director of the bidding company and any officer or director of the architectural or engineering firm or other party to the project is as follows:

Affiant further states that the names of all persons having any such business relationships and the positions they hold with their respective companies or firms are as follows:

(If none of the business relationships herein above mentioned exist, affiant should so state.)

Signature of Affiant _____

S.A.&I. 425 (2000)

Affidavit for filing with competitive bid

State of Oklahoma)
)SS
County of _____)

_____, of lawful age, being first duly sworn, on oath says, that (s)he is the agent authorized by bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any county official or employee as to quantity, quality or price in the prospective contract, or any other terms of said prospective contract; or in any discussions between bidders and any county official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

Bidder: _____

Signature: _____

Subscribed and sworn to before me this _____ day of _____ 20____.

Commission # _____
Notary Public (or Clerk or Judge)

Expires _____

AFFIDAVIT FOR CONTRACTS AND PAYMENTS

STATE OF OKLAHOMA)
) ss
COUNTY OF _____)

THE UNDERSIGNED (ARCHITECT, CONTRACTOR, SUPPLIER OR ENGINEER), OF LAWFUL AGE, BEING FIRST DULY SWORN, ON OATH SAYS THAT THIS INVOICE OR CLAIM IS TRUE AND CORRECT. AFFIANT FURTHER STATES THAT THE (WORK, SERVICES OR MATERIALS) AS SHOWN BY THIS INVOICE OR CLAIM HAVE BEEN (COMPLETED OR SUPPLIED) IN ACCORDANCE WITH THE PLANS, SPECIFICATIONS, ORDERS OR REQUESTS FURNISHED THE AFFIANT. AFFIANT FURTHER STATES THAT (S)HE HAS MADE NO PAYMENT DIRECTLY OR INDIRECTLY TO ANY ELECTED OFFICIAL, OFFICER OR EMPLOYEE OF THE STATE OF OKLAHOMA, ANY COUNTY OR LOCAL SUBDIVISION OF THE STATE, OF MONEY OR ANY OTHER THING OF VALUE TO OBTAIN PAYMENT OF THE INVOICE OR PROCURE THE CONTRACT OR PURCHASE ORDER PURSUANT TO WHICH AN INVOICE IS REQUIRED.

BUSINESS NAME

By _____

SUBSCRIBED AND SWORN TO BEFORE ME THIS _____ DAY OF _____, 20 _____

NOTARY PUBLIC (OR CLERK OR JUDGE)

NOTE: 62 OKL.ST.ANN. § 310.9 (B), AUTHORIZES COUNTIES EXECUTING MORE THAN ONE CONTRACT, EXCEEDING \$ 25,000.00 DURING THE FISCAL YEAR, WITH AN ARCHITECT, CONTRACTOR, ENGINEER OR SUPPLIER OF CONSTRUCTION MATERIALS TO ACCEPT ONE AFFIDAVIT APPLYING TO ALL WORK, SERVICES OR MATERIALS COMPLETED OR SUPPLIED UNDER THE TERMS OF AWARDED CONTRACTS, OR WHICH ARE NEEDED ON A CONTINUAL BASIS; SUCH AFFIDAVIT TO BE IN LIEU OF ALL INDIVIDUAL AFFIDAVITS FOR EACH INVOICE SUBMITTED IN RELATION TO SUCH CONTRACT.

Vendor _____

Creek County
6 Month Bridge and Highway Materials
and Professional Services
Effective July 1, 2021 - December 31, 2021

Bid #21-11

Product	Unit Price at Plant	Unit Price Delivered District #1	Unit Price Delivered District #2	Unit Price Delivered District #3
Crushed Rock				
WASHED				
3/8" Limestone/Asphalt Chips				
5/8" Limestone/Asphalt Chips				
1/2" Limestone/Asphalt Chips				
3/4" Limestone/Asphalt Chips				
Limestone/Asphalt Screenings				
NOT WASHED				
3/8" Limestone/Asphalt Chips				
5/8" Limestone/Asphalt Chips				
1/2" Limestone/Asphalt Chips				
3/4" Limestone/Asphalt Chips				
Limestone/Asphalt Screenings				
Concrete Aggregates				
3/4" Class A				
1" Concrete Aggregate				
1 1/2" Class A				
Crusher Run Materials				
3/4" Crusher Run				
1" Crusher Run				
1 1/2" Crusher Run				
3" Crusher Run				
1 1/2" Road Rock				
1" Marble or Asphalt Chips				
1 1/2" Marble or Asphalt Chips				
(Quarry) Run Rip Rap				
3" - 6" Rip Rap				
7" - 10" Rip Rap				
12" Rip Rap				
18" Rip Rap				
Parking Lot Special				
(Mixture of Crusher Run 1" - 3")				
AG Lime 55% ECCE				
(Effective Calcium Carbonate Equivalent)				
T B S C Type A - 5/8"				
<small>(Meets state specifications. Material is a cleaner crusher run less fines. Used as a surface material)</small>				
T B S C Type E- 1 1/2"				
<small>(Meets state specifications. Material is a cleaner crusher run less fines. Used as a surface material)</small>				
S A B M Type A - 1 1/2"				
<small>(Meets state specifications used as a road base material)</small>				
S A B M Type E - 1 1/2"				
<small>(Meets state specifications used as a road base material)</small>				
Surge Rock				
Sand (Screened)				
Asphaltic Materials				
Non-spec Scrap Asphalt/Millings				
Non-spec Concrete (Waste)				
Concrete				
3000 PSI per yard				
3500 PSI per yard				
4000 PSI per yard				

Vendor _____

Creek County
6 Month Bridge and Highway Materials
and Professional Services
Effective July 1, 2021 - December 31, 2021

Bid #21-11

CGM Culvert Pipe - Round	16 gauge Unit Price	14 gauge Price	Unit	Bands Unit Price
18"				
24"				
30"				
36"				
42"				
48"				
60"				
72"				
84"				
96"				
CGM Culvert Pipe - Flat	16 gauge Unit Price	14 gauge Price	Unit	Bands Unit Price
18"				
24"				
30"				
36"				
42"				
48"				
60"				
3" X 1" Corrugated Steel Pipe- Round	16 gauge Unit Price	14 gauge Price	Unit	Bands Unit Price
36"				
48"				
60"				
New Or Used Steel Pipe	Gauge	Unit	Unit Price Used	Unit Price New
2 3/8"				
4"				
6"				
7"				
8 5/8"				
9 3/8"				
10"				
16"				
18" X 1/4" (OR Heavier)				
20"				
24"				
26"				
30"				
36"				
41"				
42"				
48"				
54"				
60"				
66"				
72"				
84"				
94"				
96"				
102"				
108"				
114"				
120"				
Used railroad tank car with steel floor & head walls. 8'-9'				
10' x 40' x 1/2" thick wall steel riveted tanks				
18"to 24" tapered galvanized pipes				
Corrugated Polypropylene Pipe	Unit	Unit Price	Unit Price Couplers	
AASHTO 330 HIGHWAY SPECIFICATION 20' & 13' LENGTHS AVAILABLE- ALL PIPE WATERTIGHT				
12 "				
15"				
18"				
21"				
24"				
30"				
36"				
42"				
48"				
60"				
Dual wall polypropylene pipe is AASHTO (highway) rated under spec M330 for use under roadway applications capable of H-25 traffic loads (per manufacturers recommended installation procedures).				

Vendor _____

Creek County
6 Month Bridge and Highway Materials
and Professional Services
Effective July 1, 2021 - December 31, 2021

Bid #21-11

Corrugated High Density Polyethylene Pipe		Unit	Unit Price	Unit Price Couplers
AASHTO M252/M294 HIGHWAY SPECIFICATION 10', 20', 24' OR 30' LENGTHS AVAILABLE- ALL PIPE WATERTIGHT				
4"				
8"				
10"				
12"				
15"				
18"				
24"				
30"				
36"				
42"				
48"				
60"				
Delivery lead time to jobsite or County barn ____ Days				
Dual wall HDPE pipe to be AASHTO (highway) rated M294 or M252 for use under roadway applications capable of H-25 traffic loads (per manufactures recommended installation procedures).				
New Structural Steel		Unit	Unit Price	
I-Beams				
H-Beams				
Wide flange beam				
Channels				
Angles				
Stay in Place Forms				
22 Gauge Decking				
10 Guage black interlocking sheeting				
10 guage galvanized sheeting				
Used Structural Steel		Unit	Unit Price	
I-Beams				
H-Beams				
Channels				
Angles				
Reinforcing Steel		Unit	Unit Price	
1/2"				
5/8"				
Treated Lumber		CCA	ACZA	CREOSOTE
		PINE	ACZA	CREOSOTE
3 X 12 8' - 16'				
3 X 12 18'- 20'				
3 X 12 22' - 24'				
Used Electric Poles - unit per pole				
Grader Blades		High carbon steel, Hardened hardness rating-min. RC 43 (BR 400)		
		Blades must be heat treated & guaranteed against breakage		
		Unit	Unit Price	
5/8" X 6" X 84" w/ 5/8" bolt hole				
5/8" X 6" X 84" w/ 3/4" bolt hole				
5/8" X 8" X 84" w/ 5/8" bolt hole				
5/8" X 8" X 84" w/ 3/4" bolt hole				
Nails		Unit	Unit Price	
60D Ring Shank				

Vendor _____

**Creek County
6 Month Bridge and Highway Materials
and Professional Services
Effective July 1, 2021 - December 31, 2021**

Bid #21-11

Hauling	Hourly rate	District 1	District 2	District 3
Per ton mile				
Hourly Rate- Bobtail				
Hourly rate- End dump trailer				
Minimum load				
Fuel price basis per gallon				
<small>NOTE: TO ALLOW FUTURE FUEL COST ADJUSTMENTS (SURCHARGE) IN THE EVENT OF INCREASE IN FUEL</small>				
<small>PRICE THE VENDOR SHALL ESTABLISH A BASIS FOR FUEL PRICE IN THE BID.</small>				
<small>***BID MUST BE WITH NO RESTRICTIONS ON DESTINATION OR LOCATION OF QUARRY***</small>				
Pot Hole Patching Materials-				
<small>material shall be plant mixed, high performance pavement patching material, approved mineral aggregates, modified bituminous blend & polymer modified cold asphalt. Permanent asphalt repair shall be uniform, remain flexible & cohesive to -15 degrees & shall be capable of storage in an uncovered outdoor stockpile for a minimum of two years.</small>				
<small>A) The aggregate shall consist of 100% crushed limestone or a laboratory approved equivalent under ASTM C-136.</small>				
<small>B) The modified bituminous liquid blend shall meet the following:</small>				
<small>ASTM D-1310 Flashpoint (TOC) 200 F. (94 C.) minimum</small>				
<small>ASTM D-2170 Kinematic viscosity at 60 c (140 F) 300-4000</small>				
<small>ASTM D-96 Water maximum</small>				
<small>ASTM D-402 Distillate test (volume of original sample)</small>				
Cold Patch Asphalt	Unit Price at Plant	Unit Price Delivered District #1	Unit Price Delivered District #2	Unit Price Delivered District #3
Sign post	Unit Price	Unit		
<small>Material finish- pre-galvanized with a conversion coating & a clear organic polymer top coat.</small>				
<small>Tubing shall be perforated on all 4 sides with 7/16" pre-punched holes on 1" centers.</small>				
<small>Tubing shall allow for telescoping within each other.</small>				
1 3/4" X 1 3/4" Square Tube - 14 guage				
2" X 2" Square Tube -12 guage				
Tamper resistant drive rivet 7/16"				
Curve Bolt 5/16" S.A.E.				
<small>Teflon Flat Washer 3/8" Screw Size I.D. 406 O.D. 1.000 Thickness .062</small>				
Hex Nut 5/16" S.A.E.				
Drive rivet 3/8" size with 1/4" drive 1" length				
Professional Services	Unit/Price	Trip Charge	Comments	
Dozer Work				
D-4 Dozer (or comparable)				
T-D-15 (or comparable)				
D-9 (or comparable)				
1150 with winch/rippers				
850				
550				
Trackhoe Work				
20 Ton				
CAT 336 80,000 lbs				
Asphalt Overlay				
<small>Turn key to include product, haul, laydown, signage, blocking & barricading</small>				
<500 ton				
>500 ton				
Pile Driving				
Crane Service				
Motor Grader Work				
Backhoe Service				
Concrete Finishing (Setup, Pour & Finish)				
Road Striping Service				
Bridge Beam Transportation				
Demolition Service				

